

# ROLLER BALL F QUICK OPERATION GUIDE



For details and safety information see the operating instructions.

https://manual.tb-global.net/






Note: FAN ON SELECTED MODELS ONLY.

## 1 Start / Stop Key




### 2 Operation Mode Selection Keys



# 3 Partial Mode Selection Keys

\*The whole ring partially lights up.



## 4 Ring Rotation / Fan / Mute Keys



Ring rotation in the COLOR, PERM, TREATMENT modes

\*Available only in manual mode.



Cooling process with fan

\*Available only when selecting an option.



Sound mute for key operations and process completion

#### 5 Time Setting Keys



UP

DOWN

TIME

\*Maximum setup time: 60 minutes

## 6 Temperature Keys / Indicator





\*3° each from top to bottom RED =  $52^{\circ}$ , GREEN =  $34^{\circ}$ 

## 7 Display Panel

#### Error indication



Incorrect head position error



Interruption error



Temperature sensor detection error




Unit positions error

1 Adjust the height using both hands




\*Only for AK-S23S / AK-S23SF

2 Correct Setting Position



3 Setting the Roller Ball F in the correct position



4 Alarm rings when the head position is misaligned




<u>Movie</u>





Perm

## 1 Set the Roller Ball F in the correct position




Adjust temperature with temperature level setting without changing the equipment position if it's too hot.

Moving it away might cause the error unable to detect the head temperature, and even if trying to get the temperature closer to adequate temperature, the temperature of whole ring may be higher.

#### 2 Plug in and turn on the power switch



#### 3 Mode Selection




- 1 Select the preset mode
- 2 Adjust Temperature and Duration (option)
- 3 Select heating sections

# 4 Starting the operation



# 5 During Operation



# 8 Switch off and unplug when not in use





#### TAKARA BELMONT CORPORATION

2-1-1, Higashishinsaibashi,Chuo-ku,Osaka, 542-0083, Japan

TEL: 81-6-6213-5945 FAX: 81-6-6212-3680